



Research and Special Programs Administration

AUG 6 1999

Mr. Bob Burnett General Services Administration Bldg. 412-A Rough & Ready Island Stockton, CA 95203 Ref. No. 99-0181

Dear Mr. Burnett:

This is in response to your letter dated June 29, 1999, requesting clarification of a proper shipping description under the Hazardous Materials Regulations (HMR; 49 CFR Parts 171-180). Specifically, you asked if it was permissible for a coating kit containing two receptacles of coating solution, one classified as packing group (PG) II and the other classified as PG III, to be described under one shipping description as a PG II material.

The answer is no. A Class 3, PG III material may not be described on a shipping paper as a PG II material. In the scenario you describe, the PG II and PG III coating solution should be described separately on your shipping paper.

I hope this satisfies your request.

Sincerely,

John A. Gale

Transportation Regulations Specialists Office of Hazardous Materials Standards

990181

172.202



WESTERN DISTRIBUTION CENTER BLDG. 412 ROUGH AND READY ISLAND STOCKTON, CA 95203

B172.202 9 172.202

12

June 29, 1999

TO: Hazardous Materials, D.O.T.

FROM: Bob Burnett

General Services Administration

Bldg 412-A

Rough & Ready Island Stockton Ca 95203

SUBJECT: Description of hazardous materials

We have a coating kit being shipped to us that contains Paint, 3, UN1263 with equal quantities (3.8L) of packing group II and III.

They have chosen to describe this material as 7.6 L of packing group II and ignore the group III.

Is this permissible to describe as such, or must each be considered a Proper Shipping Name?

Your help is greatly appreciated